

OHIO SCHOOL  
FACILITIES  
COMMISSION

---

2010  
OHIO  
SCHOOL  
DESIGN  
MANUAL

---





The Ohio School Facilities Commission is pleased to announce the 2010 Ohio School Design Manual (OSDM) update.

Each year the Commission revises the OSDM with support and valuable input from the design and construction community, school districts, state agencies and other interested parties. The result is a dynamic document that reinforces our commitment to high quality school facilities while maintaining flexibility and local control.

The manual is a cornerstone of the Commission's efforts to promote the 21<sup>st</sup> century learning environment, providing guidelines that serve the diverse needs of local school communities and their students. For our Design Professionals, the OSDM provides a wide selection of high quality materials and systems to serve the districts over the entire lifecycle of the building. This approach ensures that both the district and the taxpayers of Ohio achieve the maximum benefit from their investment.

Ohio continues to build on past design achievements that meet the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) for Schools. The LEED system is the national benchmark for high performance green buildings.

The OSFC acknowledges the difficult design and construction tasks that ultimately result in the buildings so critical to our Ohio communities and the new educational goals set by Governor Strickland. There is a necessary balance measured between the complexity and cost of 21<sup>st</sup> century structures and the sustainability and maintenance requirements to be born by local taxpayers for decades to come. The OSFC will be guided by best practices, mindful that what we build today must last.

We look forward to working with you to design and build exciting educational environments for Ohio school students.

Sincerely,

Ohio School Facilities Commission

Richard C. Murray  
Executive Director

## **FOREWORD**

---

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.

# OHIO SCHOOL DESIGN MANUAL

## Ohio School Facilities Commission

### TABLE OF CONTENTS

*0100 Foreword*  
*0200 Table of Contents*

#### VOLUME ONE

##### Chapter 1: Introduction

1000	Executive Summary
1010	Introduction
<b>1020</b>	<b><i>Overview of the Planning, Design, and Construction Process</i></b>
<b>1030</b>	<b><i>Design Manual Organization</i></b>
<b>1040</b>	<b><i>Highlights of Planning and Funding Parameters</i></b>
1050	Community Engagement
1060	Special Education Program Summary
1070	Career-Technical Education Summary
1100	Educational Programming
1110	Special Education Program Overview
<b>1200</b>	<b><i>Cost Information</i></b>
1300	Definitions
<b>1400</b>	<b><i>Abbreviations</i></b>

##### Chapter 2: Bracketing

2000	Introduction
	<u>Summary of Spaces</u>
2100	Elementary Schools
2200	Middle Schools
2300	High Schools
2400	K – 12 Combination Schools
2500	K – 8 Combination Schools
2600	6 – 12 Combination Schools

##### Chapter 2: Bracketing (Career-Technical)

2700	Introduction
	<u>Summary of Spaces</u>
<b>2800</b>	<b><i>Career-Technical School</i></b>
<b>2900</b>	<b><i>Comprehensive K-12 / CT School</i></b>
<b>2925</b>	<b><i>Comprehensive 6–12 / CT School</i></b>
<b>2950</b>	<b><i>Comprehensive 9–12 / CT School</i></b>

##### Chapter 3: School Site

3000	Introduction
	<u>Site Selection Criteria</u>
3100	Introduction
3101	Site/Size
3102	Topography
3103	Vehicular Access
3104	Soil Characteristics

## TABLE OF CONTENTS (cont.)

<b>3105</b>	<b><i>Site Utilities</i></b>
3106	Site Preparation
3107	Codes and Zoning
3108	Adjacent Property Facilities
3109	Easements/Rights-of-Way
3110	Environmental Restrictions
3111	Testing
3112	Aesthetic Consideration
	<u>Site Design</u>
3200	Introduction
3201	Vehicular Circulation
3202	Pedestrian Circulation
3203	Emergency Vehicle Circulation
3204	Bicycle Circulation
3205	Storm Drainage
3206	Sanitary Sewerage
3207	Directional Signage
3208	Physical Education Facilities
3209	Playground
3210	Fencing
<b>3211</b>	<b><i>Lighting</i></b>
3212	Mechanical/Electrical Yard
3213	Landscaping
3214	Site Furnishings
3215	Site Security Provisions
	<u>Elementary School Site Design</u>
3301	Vehicular Circulation
3302	Physical Education Facilities
3303	Playground
	<u>Middle School Site Design</u>
3401	Vehicular Circulation
3402	Physical Education Facilities
3403	Playground
	<u>High School Site Design</u>
3501	Vehicular Circulation
3502	Physical Education Facilities
	<u>Combination School Site Design</u>
3601	Vehicular Circulation
3602	Physical Education Facilities
3603	Playground
	<u>Career-Technical School Site Design</u>
3701	Vehicular Circulation

## TABLE OF CONTENTS (cont.)

### Chapter 4: Elementary School

<b>4000</b>	<b><i>Introduction</i></b>	
4100		Spatial Relationship Diagram
<u>Academic Core Spaces</u>		
4101	E-AC	Spatial Relationship Diagram
	<b><i>E-AC-1</i></b>	<b><i>Pre-K/Kindergarten Classroom</i></b>
	E-AC-2	Pre-K/Kindergarten Restroom
	<b><i>E-AC-3</i></b>	<b><i>Elementary Classroom</i></b>
	<b><i>E-AC-4</i></b>	<b><i>Teacher Prep Area/Workroom</i></b>
	E-AC-5	Individual Restroom
	<b><i>E-AC-6</i></b>	<b><i>Instructional Material Storage</i></b>
<u>Special Education Spaces</u>		
4102	E-SE	Spatial Relationship Diagram
	<b><i>E-SE-1</i></b>	<b><i>Self-contained Classroom</i></b>
	<b><i>E-SE-2</i></b>	<b><i>Workroom/Conference</i></b>
	E-SE-3	Restroom/Shower
	<b><i>E-SE-4</i></b>	<b><i>Special Education/Resource</i></b>
	<b><i>E-SE-5</i></b>	<b><i>Small Self-Contained Classroom</i></b>
<u>Administrative Spaces</u>		
4103	E-AD	Spatial Relationship Diagram
	E-AD-1	Reception Area
	E-AD-2	Secretarial Area
	E-AD-3	Principal's Office
	<b><i>E-AD-4</i></b>	<b><i>Assistant Principal's Office</i></b>
	E-AD-5	Conference Room
	<b><i>E-AD-6</i></b>	<b><i>Mail/Work/Copy Room</i></b>
	<b><i>E-AD-7</i></b>	<b><i>Administrative Storage</i></b>
	<b><i>E-AD-8</i></b>	<b><i>Vault/Records Storage</i></b>
	<b><i>E-AD-9</i></b>	<b><i>In-school Suspension</i></b>
	E-AD-10	Restroom
	E-AD-11	Guidance Counselor's Office
	<b><i>E-AD-12</i></b>	<b><i>Guidance Records/Storage</i></b>
	E-AD-13	Parent/Volunteer Room
	<b><i>E-AD-14</i></b>	<b><i>Health Clinic (includes restroom)</i></b>
	E-AD-15	Itinerant Personnel Office
<u>Media Center Spaces</u>		
4104	E-MC	Spatial Relationship Diagram
	<b><i>E-MC-1</i></b>	<b><i>Reading Room/Circulation</i></b>
	E-MC-2	Media Specialist Office
	<b><i>E-MC-3</i></b>	<b><i>Workroom/Storage</i></b>
	<b><i>E-MC-4</i></b>	<b><i>Main Control/Equipment Room</i></b>
	E-MC-5	Computer Lab
	<b><i>E-MC-6</i></b>	<b><i>A/V Storage</i></b>
	E-MC-7	Conference Room

## TABLE OF CONTENTS (cont.)

4105	E-VA <b>E-VA-1</b> E-VA-2 <b>E-VA-3</b>	<u>Visual Arts Spaces</u> Spatial Relationship Diagram <b>Art Room</b> Kiln/Ceramic Storage <b>Art Material Storage</b>
4106	E-MU <b>E-MU-1</b>	<u>Music Spaces</u> Spatial Relationship Diagram <b>Music Room</b>
4107	E-PE <b>E-PE-1</b> E-PE-2	<u>Physical Education Spaces</u> Spatial Relationship Diagram <b>Gymnasium</b> P.E. Workroom/Storage
4108	E-SD <b>E-SD-1</b> <b>E-SD-2</b> <b>E-SD-3</b> E-SD-4 <b>E-SD-5</b>	<u>Student Dining Spaces</u> Spatial Relationship Diagram <b>Student Dining</b> <b>Stage</b> <b>Staff Dining</b> Table Storage <b>Family Restroom</b>
4109	E-FS E-FS-1 <b>E-FS-0</b> E-FS-1a E-FS-1b E-FS-1c E-FS-1d E-FS-1e E-FS-2 E-FS-3 E-FS-4	<u>Food Service Spaces</u> Spatial Relationship Diagram Kitchen <b>Warming Kitchen</b> Preparation Area Serving Area Dry Food Storage Cooler/Freezer Ware Washing Dietician's Office Restroom / Locker Room Locker Room
4110	E-CU E-CU-1 <b>E-CU-2</b>	<u>Custodial Spaces</u> Spatial Relationship Diagram Workroom <b>Custodial Office</b>
4111	<b>E-BS-1</b> <b>E-BS-2</b> E-BS-3 E-BS-4 <b>E-BS-5</b> E-BS-6 E-BS-7 E-BS-8 <b>E-BS-9</b> E-BS-10	<u>Building Services</u> <b>Large Group Restrooms</b> <b>Custodial Closet</b> Electrical Closet Telecommunications Room <b>Corridors</b> Mechanical /Electrical Space/Decks Storage Area Central Storage Area <b>Loading/Receiving Area</b> Restroom

## TABLE OF CONTENTS (cont.)

### Chapter 5: Middle School

<b>5000</b>	<b><i>Introduction</i></b>	
5100	Spatial Relationship Diagram	<u>Academic Core Spaces</u>
5101	M-AC	Spatial Relationship Diagram
	<b>M-AC-1</b>	<b>Middle School Classroom</b>
	M-AC-2	Project Laboratory
	<b>M-AC-3</b>	<b>Teacher Prep Area/Workroom</b>
	M-AC-4	Individual Restroom
	<b>M-AC-5</b>	<b>Instructional Material Storage</b>
	<b>M-AC-6</b>	<b>Small Group Room</b>
		<u>Special Education Spaces</u>
5102	M-SE	Spatial Relationship Diagram
	<b>M-SE-1</b>	<b>Self-contained Classroom</b>
	<b>M-SE-2</b>	<b>Workroom/Conference</b>
	M-SE-3	Restroom/Shower
	<b>M-SE-4</b>	<b>Special Education/Resource</b>
	<b>M-SE-5</b>	<b>Small Self-Contained Classroom</b>
		<u>Administrative Spaces</u>
5103	M-AD	Spatial Relationship Diagram
	M-AD-1	Reception Area
	M-AD-2	Secretarial Area
	M-AD-3	Principal's Office
	M-AD-4	Assistant Principal's Office
	M-AD-5	Conference Room
	<b>M-AD-6</b>	<b>Mail/Work/Copy Room</b>
	<b>M-AD-7</b>	<b>Administrative Storage</b>
	<b>M-AD-8</b>	<b>Vault/Records Storage</b>
	<b>M-AD-9</b>	<b>In-school Suspension</b>
	M-AD-10	Restroom
	M-AD-11	Guidance Counselor's Office
	<b>M-AD-12</b>	<b>Guidance Records/Storage</b>
	M-AD-13	Parent/Volunteer Room
	<b>M-AD-14</b>	<b>Health Clinic (includes restroom)</b>
	M-AD-15	Itinerant Personnel Office
		<u>Media Center Spaces</u>
5104	M-MC	Spatial Relationship Diagram
	<b>M-MC-1</b>	<b>Reading Room/Circulation</b>
	M-MC-2	Media Specialist Office
	<b>M-MC-3</b>	<b>Workroom/Storage</b>
	<b>M-MC-4</b>	<b>Main Control/Equipment Room</b>
	<b>M-MC-5</b>	<b>Computer Lab</b>
	<b>M-MC-6</b>	<b>A/V Storage</b>
	M-MC-7	Conference Room
	<b>M-MC-8</b>	<b>Multimedia Production Room</b>

## TABLE OF CONTENTS (cont.)

5105	M-VA <b>M-VA-1</b> M-VA-2 <b>M-VA-3</b>	<u>Visual Arts Spaces</u> Spatial Relationship Diagram <b>Art Room</b> Kiln/Ceramic Storage <b>Art Material Storage</b>
5106	M-MU <b>M-MU-1</b> <b>M-MU-2</b> <b>M-MU-3</b>	<u>Music Spaces</u> Spatial Relationship Diagram <b>Instrumental Room</b> <b>Vocal Room</b> <b>Music Library</b>
5107	M-TE <b>M-TE-1a</b> <b>M-TE-1b</b> M-TE-2	<u>Technology Education Spaces</u> Spatial Relationship Diagram <b>Modular Technology Lab</b> <b>Production Lab</b> Storage
5108	M-FCS <b>M-FCS-1</b> <b>M-FCS-2</b>	<u>Family and Consumer Science Spaces</u> Spatial Relationship Diagram <b>Life Skills Lab</b> <b>Life Skills Storage</b>
5109	M-PE <b>M-PE-1</b> <b>M-PE-2</b> <b>M-PE-3</b> M-PE-4 M-PE-5 M-PE-6	<u>Physical Education Spaces</u> Spatial Relationship Diagram <b>Gymnasium</b> <b>P.E./Athletic Office</b> <b>Staff Shower</b> Student Locker Room Student Restroom/Shower Physical Education Storage
5110	M-SD M-SD-1 <b>M-SD-2</b> <b>M-SD-3</b> M-SD-4 <b>M-SD-5</b>	<u>Student Dining Spaces</u> Spatial Relationship Diagram Student Dining <b>Stage</b> <b>Staff Dining</b> Table Storage <b>Family Restroom</b>
5111	M-FS M-FS-1 <b>M-FS-0</b> M-FS-1a M-FS-1b M-FS-1c M-FS-1d M-FS-1e M-FS-2 M-FS-3 M-FS-4	<u>Food Service Spaces</u> Spatial Relationship Diagram Kitchen <b>Warming Kitchen</b> Preparation Area Serving Area Dry Food Storage Cooler/Freezer Ware Washing Dietician's Office Restroom / Locker Room Locker Room

## TABLE OF CONTENTS (cont.)

5112	M-CU M-CU-1 <b>M-CU-2</b>	<u>Custodial Spaces</u> Spatial Relationship Diagram Workroom <b>Custodial Office</b>
5113	<b>M-BS-1</b> <b>M-BS-2</b> M-BS-3 M-BS-4 <b>M-BS-5</b> M-BS-6 M-BS-7 M-BS-8 <b>M-BS-9</b> M-BS-10	<u>Building Services</u> <b>Large Group Restrooms</b> <b>Custodial Closet</b> Electrical Closet Telecommunications Room <b>Corridors</b> Mechanical/Electrical Space/Decks Storage Area Central Storage Area <b>Loading/Receiving Area</b> Restroom

## TABLE OF CONTENTS (cont.)

### Chapter 6: High School

<b>6000</b>	<b><i>Introduction</i></b>	
6100	Spatial Relationships Diagram	
<u>Academic Core Spaces</u>		
6101	H-AC	Spatial Relationship Diagram
	<b>H-AC-1</b>	<b>High School Classroom</b>
	<b>H-AC-2</b>	<b>Science Classroom - General/Physics</b>
	H-AC-3	Science Classroom - Chemistry
	<b>H-AC-4</b>	<b>Science Classroom - Biology</b>
	H-AC-5	Science Prep
	<b>H-AC-6</b>	<b>Teacher Prep Area/Workroom</b>
	H-AC-7	Individual Restroom
	<b>H-AC-8</b>	<b>Project/Classroom</b>
	<b>H-AC-9</b>	<b>Small Group Room</b>
	<b>H-AC-10</b>	<b>Instructional Material Storage</b>
	<b>H-AC-11</b>	<b>Multi-use Room</b>
	H-AC-12	Science Laboratory
<u>Special Education Spaces</u>		
6102	H-SE	Spatial Relationship Diagram
	<b>H-SE-1</b>	<b>Self-contained Classroom</b>
	<b>H-SE-2</b>	<b>Workroom/Conference</b>
	H-SE-3	Restroom/Shower
	<b>H-SE-4</b>	<b>Special Education/Resource</b>
	<b>H-SE-5</b>	<b>Small Self-Contained Classroom</b>
<u>Administrative Spaces</u>		
6103	H-AD	Spatial Relationship Diagram
	H-AD-1	Reception Area
	H-AD-2	Secretarial Area
	H-AD-3	Principal's Office
	H-AD-4	Assistant Principal's Office
	H-AD-5	Conference Room
	<b>H-AD-6</b>	<b>Mail/Work/Copy Room</b>
	<b>H-AD-7</b>	<b>Administrative Storage</b>
	<b>H-AD-8</b>	<b>Vault/Records Storage</b>
	<b>H-AD-9</b>	<b>In-school Suspension</b>
	H-AD-10	Restroom
	H-AD-11	Guidance Counselor's Office
	<b>H-AD-12</b>	<b>Guidance Records/Storage</b>
	H-AD-13	Guidance Conference Room
	H-AD-14	Parent/Volunteer Room
	<b>H-AD-15</b>	<b>Health Clinic</b>
	H-AD-16	Itinerant Personnel Office
	H-AD-17	Career Center

## TABLE OF CONTENTS (cont.)

6104	H-MC H-MC-1 H-MC-2 <b>H-MC-3</b> <b>H-MC-4</b> <b>H-MC-5</b> H-MC-6 <b>H-MC-7</b> <b>H-MC-8</b>	<u>Media Center Spaces</u> Spatial Relationship Diagram Reading Room/Circulation Media Specialist Office <b>Workroom/Storage</b> <b>Main Control/Equipment Room</b> <b>A/V Storage</b> Conference Room <b>Multimedia Production Room</b> <b>Document Storage</b>
6105	H-VA <b>H-VA-1</b> H-VA-2 <b>H-VA-3</b>	<u>Visual Arts Spaces</u> Spatial Relationship Diagram <b>Art Room</b> Kiln/Ceramic Storage <b>Art Material Storage</b>
6106	H-MU <b>H-MU-1</b> <b>H-MU-2</b> <b>H-MU-3</b> <b>H-MU-4</b> <b>H-MU-5</b> <b>H-MU-6</b> <b>H-MU-7</b> <b>H-MU-8</b> <b>H-MU-9</b> <b>H-MU-10</b>	<u>Music Spaces</u> Spatial Relationship Diagram <b>Instrumental Room</b> <b>Instrument Storage</b> <b>Orchestra Storage</b> <b>Instrumental Music Library</b> <b>Uniform Storage</b> <b>Vocal Room</b> <b>Vocal Storage</b> <b>Vocal Music Library</b> <b>Ensemble Room</b> <b>Practice Room</b>
6107	H-TE <b>H-TE-1</b> H-TE-1a H-TE-2 <b>H-TE-3</b> H-TE-4	<u>Technology Education Spaces</u> Spatial Relationship Diagram <b>Modular Technology Lab</b> Ag-Ed Lab Storage <b>CADD Lab</b> Production Lab
6108	H-BE <b>H-BE-1</b> <b>H-BE-2</b> <b>H-BE-3</b>	<u>Business Education Spaces</u> Spatial Relationship Diagram <b>Computer and Business Classroom</b> <b>Marketing Classroom</b> <b>Workroom/Storage</b>
6109	H-FCS <b>H-FCS-1</b> <b>H-FCS-2</b> <b>H-FCS-3</b> <b>H-FCS-4</b>	<u>Family and Consumer Science Spaces</u> Spatial Relationship Diagram <b>Life Skills Lab</b> <b>Life Skills Storage</b> <b>Laundry</b> <b>Child Development</b>

## TABLE OF CONTENTS (cont.)

6110	H-PE	<u>Physical Education Spaces</u>
		Spatial Relationship Diagram
	<b>H-PE-1</b>	<b>Gymnasium</b>
	<b>H-PE-2</b>	<b>Auxiliary Gymnasium</b>
	H-PE-3	Student Locker Room
	H-PE-4	Student Restroom/Shower
	H-PE-5	Physical Education Storage
	<b>H-PE-6</b>	<b>P.E./Athletic Office</b>
	<b>H-PE-7</b>	<b>Staff Shower</b>
	<b>H-PE-8</b>	<b>Athletic Director's Office</b>
	<b>H-PE-9</b>	<b>Lobby Services</b>
	H-PE-10	Training Room
H-PE-11	Physical Health Classroom	
<b>H-PE-12</b>	<b>Multi-use P.E. Room</b>	
6111	H-SD	<u>Student Dining Spaces</u>
		Spatial Relationship Diagram
	<b>H-SD-1</b>	<b>Student Dining</b>
	<b>H-SD-2</b>	<b>Stage</b>
	H-SD-3	Scene Shop and Storage
	<b>H-SD-4</b>	<b>Makeup/Dressing Rooms</b>
	<b>H-SD-5</b>	<b>Theatrical Control Room</b>
	<b>H-SD-6</b>	<b>Drama Storage</b>
	<b>H-SD-7</b>	<b>Staff Dining</b>
H-SD-8	Table Storage	
<b>H-SD-9</b>	<b>Family Restroom</b>	
6112	H-FS	<u>Food Service Spaces</u>
		Spatial Relationship Diagram
	H-FS-1	Kitchen
	<b>H-FS-0</b>	<b>Warming Kitchen</b>
	H-FS-1a	Preparation Area
	H-FS-1b	Serving Area
	H-FS-1c	Dry Food Storage
	H-FS-1d	Cooler/Freezer
	H-FS-1e	Ware Washing
	H-FS-2	Dietician's Office
H-FS-3	Restroom / Locker Room	
H-FS-4	Locker Room	
6113	H-CU	<u>Custodial Spaces</u>
		Spatial Relationship Diagram
	H-CU-1	Workroom
<b>H-CU-2</b>	<b>Custodial Office</b>	
6114		<u>Building Services</u>
	<b>H-BS-1</b>	<b>Large Group Restrooms</b>
	<b>H-BS-2</b>	<b>Custodial Closet</b>
	H-BS-3	Electrical Closet
	H-BS-4	Telecommunications Room
	<b>H-BS-5</b>	<b>Corridors</b>
	H-BS-6	Mechanical/Electrical Space/Decks
	H-BS-7	Storage Area
	H-BS-8	Central Storage Area
	<b>H-BS-9</b>	<b>Loading/Receiving Area</b>
H-BS-10	Restroom	

## TABLE OF CONTENTS (cont.)

### VOLUME TWO

#### Chapter 6: Career-Technical School

##### 6200 *Introduction*

6300 Spatial Relationships Diagram

##### Core Spaces

6301

<p>CT-AC  <b>CT-AC-1</b>  <b>CT-AC-2</b>  <b>CT-AC-3</b>  <b>CT-AC-4</b>  CT-AC-5  CT-AC-6  <b>CT-AC-7</b>  CT-AC-8  <b>CT-AC-9</b>  <b>CT-AC-10</b>  <b>CT-AC-11</b></p>	<p><u>Academic Core Spaces</u>  Spatial Relationship Diagram  <b>Academic Classroom</b>  <b>Computer Room</b>  <b>General Science/Physics</b>  <b>Biology</b>  Chemistry  Science Prep  <b>Teacher Prep/Workroom</b>  Individual Restroom  <b>Small Group Room</b>  <b>Material Storage</b>  <b>Multipurpose Room</b></p>
---	---

6302

<p>CT-SE  <b>CT-SE-1</b>  <b>CT-SE-2</b>  CT-SE-3  <b>CT-SE-4</b>  CT-SE-5  <b>CT-SE-6</b>  CT-SE-7  <b>CT-SE-8</b></p>	<p><u>Special Education/Student Services Spaces</u>  Spatial Relationships Diagram  <b>Classroom</b>  <b>Workroom/Conference</b>  Restroom/Shower  <b>Career Technical Evaluation</b>  Career Technical Evaluation Office  <b>Small Group Room</b>  Job Training Office  <b>Resource Room</b></p>
---	---

6303

<p>CT-AD  CT-AD-1  CT-AD-2  CT-AD-3  CT-AD-4  CT-AD-5  CT-AD-6  CT-AD-7  <b>CT-AD-8</b>  <b>CT-AD-9</b>  <b>CT-AD-10</b>  CT-AD-11  CT-AD-12  <b>CT-AD-13</b>  CT-AD-14  CT-AD-15  <b>CT-AD-16</b>  CT-AD-17  <b>CT-AD-18</b></p>	<p><u>Administrative Spaces</u>  Spatial Relationships Diagram  Reception Area  Secretarial Area  Director/Principal's Office  Assistance Director/Principal's Office  Supervisor's Office  Coordinator's Office  Conference Room  <b>Mail/Work/Copy Room</b>  <b>Administrative Storage</b>  <b>Vault/Records</b>  Restroom  Guidance Counselor  <b>Guidance Records/Storage</b>  Guidance Conference  Parent/Volunteer  <b>Health Clinic (includes restroom)</b>  Itinerant Personnel  <b>In-School Suspension</b></p>
---	--

## TABLE OF CONTENTS (cont.)

6304	CT-MC CT-MC-1 CT-MC-2 <b>CT-MC-3</b> <b>CT-MC-4</b> <b>CT-MC-5</b> CT-MC-6 <b>CT-MC-7</b> <b>CT-MC-8</b>	<u>Media Center Spaces</u> Spatial Relationships Diagram Reading Room/Circulation Media Specialist Office <b>Workroom/Storage</b> <b>Main Control/Equipment Room</b> <b>A/V Storage</b> Conference Room <b>Multimedia Production Room</b> <b>Document Storage</b>
6305	CT-SD <b>CT-SD-1</b> CT-SD-2 <b>CT-SD-3</b> CT-SD-4 CT-SD-5	<u>Student Dining Spaces</u> Spatial Relationships Diagram <b>Student Dining</b> Stage <b>Staff Dining</b> Table Storage Family Restroom
6306	CT-FS CT-FS-1 <b>CT-FS-0</b> CT-FS-1a CT-FS-1b CT-FS-1c CT-FS-1d CT-FS-1e CT-FS-2 CT-FS-3 CT-FS-4	<u>Food Service Spaces</u> Spatial Relationships Diagram Kitchen <b>Warming Kitchen</b> Preparation Area Serving Area Dry Food Storage Cooler/Freezer Ware Washing Dietician's Office Restroom / Locker Room Locker Room
6307	CT-CU CT-CU-1 <b>CT-CU-2</b>	<u>Custodial Spaces</u> Spatial Relationships Diagram Workroom <b>Custodial Office</b>
6308	<b>CT-GS-1</b> <b>CT-GS-2</b> CT-GS-3 CT-GS-4 CT-GS-5 CT-GS-6 <b>CT-GS-7</b> CT-GS-8	<u>General Spaces</u> <b>Large Group Restrooms</b> <b>Custodial Closet</b> Electrical Closet Telecommunications Room Storage Area Central Storage/Distribution Center <b>Loading/Receiving/Warehouse Area</b> Restroom
6309	<b>CT-BS-1</b> CT-BS-2	<u>Building Spaces</u> <b>Corridors</b> Mechanical/Electrical/Space Decks

## TABLE OF CONTENTS (cont.)

### Program Spaces

6311

#### **Program Type 1 - Table of Contents**

Spatial Relationship Diagram

Example

CT-P1-1 Lab

**Accounting - 7**

**Administrative and Professional Support - 8**

**Automation & Robotics - 11**

**Aviation Occupations - 9**

**Business Management – 10**

**Electronics - 11**

**Financial Services - 12**

**Information Support & Services - 16**

**Interactive Media - 16**

**Legal Management and Support - 8**

**Medical Management and Support - 13**

**Network Systems - 16**

**Programming and Software Development - 16**

**Telecommunications - 14**

**Travel and Tourism - 15**

**Visual Design and Imaging - 16**

CT-P1-2 Office

CT-P1-3 Storage Area

6312

#### **Program Type 2 – Table of Contents**

Spatial Relationship Diagram

Example

CT-P2-1 Lab

**Animal Bioscience – 8**

**Biotechnology - 7**

**Biotechnology for Food, Plant, Animal Sciences - 8**

**Community Health Aide - 10**

**Criminal Science Technology - 8**

**Dental Laboratory Technology - 11**

**Emergency Medical Technician - 12**

**Energy Science - 7**

**Exercise Science/Sports & Recreation Health Care - 13**

**Health Information Management Service - 15**

**Health Support Pathway - 14**

**Health Unit Coordinator – 15**

**Home Health - 10**

**Medical Laboratory Technology – 8**

**Pharmacy Assisting - 7**

**Plant Bioscience - 8**

**Practical Nursing - 16**

**Therapeutic Pathway - 14**

CT-P2-2 Office

CT-P2-3 Storage Area

CT-P2-4 Changing Room

## TABLE OF CONTENTS (cont.)

6313

### **Program Type 3 – Table of Contents**

Spatial Relationship Diagram

Example

CT-P3-1 Lab

**Early Childhood Education and Care - 7**

**Observation Room / Infants Room / Kitchen/Break Room**

**Work Room / Toddler Restroom / Reception**

**Entrepreneurship – 15**

**Bookstore / Display**

**Ground Operations - 19**

**Reference Room**

**Lodging - 21**

**Banquet Room**

**Marketing Communications - 15**

**Bookstore/Display**

**Marketing Management and Research – 15**

**Bookstore / Display**

**CT-P3-2 Office**

**CT-P3-3 Storage Area**

6314

### **Program Type 4 – Table of Contents**

Spatial Relationship Diagram

Example

CT-P4-1 Lab

**Animal Science and Management (small animal) - 7**

**Pet Shop/Clinic/Grooming/Animal Room #1/Animal Room #2/Kennel**

**Career Paths for the Law Profession - 14**

**Weight Room / Interrogation Room**

**Clinical Health Care Services - 17**

**Training Restroom / Laundry Room**

**Cosmetology - 20**

**Dispensary / Laundry Room / Facial Room / Manicure Room /**

**Customer Toilet**

**Criminal Justice - 14**

**Weight Room / Interrogation Room**

**Culinary and Food Service Operations - 26**

**Restaurant / Dry Storage**

**Dental Assistant - 29**

**X-Ray Room / Darkroom**

**Diagnostic Pathway - 32**

**Exam Room**

**Fire Fighter Training - 34**

**Weight Room**

**Media Arts - 36**

**Media Arts Control Room/Edit / Vestibule**

**Nurse Assisting - 17**

**Training Restroom / Laundry Room**

**Optometric Occupations - 39**

**Exam Room**

**Patient Care Technician - 41**

**Training Restroom / Laundry Room**

## TABLE OF CONTENTS (cont.)

- Performing Arts - 44*
  - Practice Room*
- Private Security – 14*
  - Weight Room / Interrogation Room*
- Surgical Technology - 46*
  - Operating Room / Instrument Room / Scrub Room*
- CT-P4-2 Related Classroom**
- CT-P4-3 Office**
- CT-P4-4 Storage Area**
- CT-P4-5 Changing Room**

6315

### **Program Type 5 – Table of Contents** **Spatial Relationship Diagram**

Example

CT-P5-1 Lab

- Agribusiness and Production Systems - 8*
- Auto Specialization - 9*
- Brick, Block, and Cement Masonry - 10*
- Building and Property Maintenance - 11*
- Building Technology - 11*
- Custodial Services - 12*
- Electrical Trades - 13*
- Environmental Controls Technologies - 14*
- Heavy Equipment (Construction) - 15*
- Integrated Systems Technology - 16*
- Interior Design and Application - 17*
- Manufacturing Design and Development - 18*
- Manufacturing Operations - 18*
- Natural Resource Management - 19*
- Plumbing and Pipefitting - 20*
- Power Equipment Technology - 21*
- Power Transmission - 22*
- Procurement, Acquisition, Logistics, and Supply Chain Management - 7*
- Welding and Cutting - 23*

**CT-P5-2 Related Classroom**

CT-P5-3 Office

CT-P5-4 Storage Area

**CT-P5-5 Changing Room**

**CT-P5-6 Tool Crib**

**CT-P5-7 Reference Room**

**CT-P5-8 Toilet Room**

6316

### **Program Type 6 – Table of Contents** **Spatial Relationship Diagram**

Example

CT-P6-1 Lab

- Agriculture/Industrial Equipment - 7*
  - Engine Storage / Flammable Material Storage*
- Auto Collision Repair - 10*
  - Auto Parts Storage*
- Auto Technology - 12*
  - Engine Storage / Machine Room / Flammable Material Storage*

## TABLE OF CONTENTS (cont.)

Carpentry - 16  
    Finishing Room / Material Storage  
**Construction (2 clusters) - 19**  
    **Design/Build / Management / CAD Room**  
**Engineering Technology – 21**  
    **CAD Room**  
**Food Science and Technology - 23**  
    Freezer / Cooler / **Retail**  
**Horticulture - 27**  
    **Retail**  
**Medium/Heavy Truck Technician - 29**  
    Engine Storage / Flammable Material Storage / Machine Room  
**Precision Machining - 33**  
    CNC Room / **Inspection Room**  
Wood Product Technologies - 36  
    Finishing Room / Material Storage  
**CT-P6-2 Related Classroom**  
CT-P6-3 Office  
CT-P6-4 Storage Area  
**CT-P6-5 Changing Room**  
**CT-P6-6 Tool Crib**  
**CT-P6-7 Reference Room**  
**CT-P6-8 Toilet Room**

6317

**Program Type 7 – Table of Contents**  
**Spatial Relationship Diagram**  
Example  
CT-P7-1 Lab  
    Animal Science and Management – Equine - 11  
        Stables  
    **Aviation Maintenance - 7**  
        **Cleaning Room / Parts Storage / Hazardous Material Storage**  
**CT-P7-2 Related Classroom**  
CT-P7-3 Office  
CT-P7-4 Storage Area  
**CT-P7-5 Changing Room**  
**CT-P7-6 Tool Crib**  
**CT-P7-7 Reference Room**  
**CT-P7-8 Toilet Room**

## TABLE OF CONTENTS (cont.)

### Chapter 7: Sustainable Design

7000	Introduction
	<b>7010 Whole Building Design</b>
<b>7100</b>	<b>Daylighting Considerations</b>
	7100-1 Consider Human Factors
	7100-3 Consider the Energy Ramifications
	7100-9 Account for Site Constraints and Benefits
	7100-9 Select Well-Integrated Daylighting Strategies
	<b>7100-14 Optimize the Most Appropriate Daylighting Strategies</b>
	7100-31 Accurately Simulate Daylighting Performance
	7100-33 Verify and Modify Your Design Process
7200	Green Spec – Energy Efficient Plug Loads
	7200-1 Commercial Food Service Equipment
	7200-2 Cabinets
	7200-3 Kitchen Ventilation Hood
	7200-4 Ice Machines
	7200-5 Computers and Servers
	7200-6 Computer Monitors
	7200-7 Notebook & Tablet Computers
	7200-7 TV & Video Replay Equipment
	7200-8 Vending Machines
	7200-9 Screens in Daylit Spaces
	7200-10 Digital Video Projector
7300	Rainwater Harvesting and Collection
7400	Solar Ready Schools
	7401 Solar Hot Water System – Indirect Drain-Back Option 1
	7402 Solar Hot Water System – Indirect Drain-Back Option 2
	7403 Solar Hot Water System – indirect Pressurized Glycol

## TABLE OF CONTENTS (cont.)

### Chapter 8: Systems and Materials

8000	Introduction
	<u>Exterior Walls</u>
<b>8110</b>	<b><i>Masonry Cavity Wall</i></b>
<b>8112</b>	<b><i>Metal Panel On Concrete Masonry Wall</i></b>
8113	Plant-Precast Concrete Insulated Sandwich Wall
8114	Metal Panel on Metal Framing
8115	Metal Panel on Metal Framing
8116	Exterior Wall/Roof Closure

#### Roofs

<b>8120</b>	<b><i>Shingle Roof</i></b>
<b>8121</b>	<b><i>Shingle Roof System</i></b>
<b>8122</b>	<b><i>Metal Roof with Rigid Insulation</i></b>
<b>8123</b>	<b><i>Metal Roof with Rigid Insulation</i></b>
8124	Built-up Roof
8125	Membrane Roof
8126	Recommended Roof Ridge
8127	Exterior Wall System
8128	Recommended Wall-Low Roof

#### Interior Walls

<b>8130</b>	<b><i>Steel Stud and Wallboard</i></b>
-------------	--

#### Structural

8210	Materials and Systems
8220	Design Criteria/Evaluation

#### Plumbing

<b>8310</b>	<b><i>Design Criteria</i></b>
-------------	-------------------------------

#### HVAC

<b>8410</b>	<b><i>Systems Evaluation</i></b>
8420	Design Criteria
<b>8430</b>	<b><i>Systems Description</i></b>

#### Technology

<b>8500</b>	<b><i>Systems</i></b>
-------------	-----------------------

#### Electrical

<b>8600</b>	<b><i>Systems</i></b>
-------------	-----------------------

### Chapter 8: Systems and Materials (Career-Technical)

8001	Introduction
8116	Manufactured Wall Panels
8126	Metal Roof with Batt Insulation
	<u>Plumbing</u>
8311	Design Criteria
	<u>HVAC</u>
8421	Design Criteria
	<u>Electrical</u>
8601	Systems

## TABLE OF CONTENTS (cont.)

### Chapter 9: Specifications

9100	Introduction
9101	<u>General Requirements</u> 013100 Project Management and Coordination 014000 Quality Requirements 015000 Temporary Facilities and Controls 015800 Project Identification 017419 Construction Waste Management and Disposal 017700 Closeout Procedures 018113 Sustainable Design Requirements 019100 Commissioning
9102	<u>Existing Conditions</u> 024116 Structural Demolition 024119 Selective Structural Demolition <b>025000 Site Remediation</b>
9103	<u>Concrete</u> 031119 Insulating Concrete Forming <b>033000 Cast-In-Place Concrete</b> 033510 Polished Concrete Finishing 033519 Colored Concrete Finishing 034100 Precast Structural Concrete 034500 Precast Architectural Concrete 035113 Cementitious Wood Fiber Decks 035216 Lightweight Insulating Concrete
9104	<u>Masonry</u> <b>042000 Unit Masonry</b> 042250 Autoclaved Aerated Concrete (AAC) Masonry 042700 Glass Masonry Units 047200 Cast Stone
9105	<u>Metals</u> 051200 Structural Steel Framing <b>052100 Steel Joists Framing</b> 053100 Steel Decking 054000 Cold-Formed Metal Framing 055000 Metal Fabrications 055100 Metal Stairs 055213 Pipe and Tube Railings
9106	<u>Wood, Plastics, and Composites</u> 061000 Rough Carpentry 061600 Sheathing 062000 Finish Carpentry 064023 Interior Architectural Woodwork
9107	<u>Thermal and Moisture Protection</u> 071000 Dampproofing and Waterproofing 072100 Thermal Insulation <b>072700 Air Barriers</b> <b>073113 Asphalt Shingles</b>

## TABLE OF CONTENTS (cont.)

- 074113 Metal Roof Panels**
- 074213 Metal Wall Panels**
- 074216 Insulated-Core Metal Wall Panels**
- 074219 Metal Plate Wall Panels**
- 074243 Composite Wall Panels**
- 075000 Membrane Roofing**
- 075113 Built-Up Asphalt Roofing**
- 075200 Modified Bituminous Membrane Roofing**
- 075323 EPDM Roofing**
- 075400 Thermoplastic Membrane Roofing**
- 075700 Coated Foamed Roofing**
- 076200 Sheet Metal Flashing and Trim**
- 077100 Roof Specialties**
- 077200 Roof Accessories**
- 078100 Applied Fireproofing**
- 078400 Firestopping**
- 079200 Joint Sealants**

9108

### Openings

- 081113 Hollow Metal Doors and Frames
- 081116 Aluminum Doors and Frames
- 081416 Flush Wood Doors
- 081613 Fiberglass Doors and Frames
- 083113 Access Doors and Frames
- 083320 Overhead Coiling Doors and Grilles
- 083613 Sectional Doors
- 084413 Glazed Aluminum Curtain Walls
- 085113 Aluminum Windows
- 085200 Wood Windows
- 085410 Fiberglass Windows
- 085656 Security Window Screens / Glazing
- 086300 Metal-Framed Skylights
- 087100 Door Hardware**
- 087113 Automatic Door Operators
- 088000 Glazing
- 088300 Mirrors
- 089000 Louvers and Vents

9109

### Finishes

- 092116 Gypsum Board Assemblies
- 092400 Portland Cement Plastering
- 092513 Acrylic Plaster Ceilings
- 093000 Tiling
- 095113 Acoustical Panel Ceilings
- 096400 Wood Flooring
- 096466 Wood Athletic Flooring
- 096500 Resilient Flooring**
- 096516 Linoleum Flooring
- 096566 Resilient Athletic Flooring
- 096723 Resinous Flooring
- 096766 Fluid-Applied Athletic Flooring
- 096813 Tile Carpeting
- 096816 Sheet Carpeting
- 096900 Access Flooring
- 098000 Acoustic Treatment
- 099100 Painting

## TABLE OF CONTENTS (cont.)

099300	Staining and Transparent Finishing
099419	Multicolored Coating System
099600	High-Performance Coatings
9110	<u>Specialties</u>
101100	Visual Display Surfaces
101200	Display Cases
101400	Signage
101426	Post and Panel/Pylon Signage
101453	Traffic Signage
102113	Toilet Compartments
102123	Cubicles
102213	Wire Mesh Partitions
102226	Operable Partitions
102813	Toilet Accessories
104400	Fire Protection Specialties
105113	Lockers
105613	Metal Storage Shelving
105626	Mobile Storage Shelving
107500	Flagpoles
9111	<u>Equipment</u>
111300	Loading Dock Equipment
113100	Residential Equipment
114000	Food Service Equipment
115123	Library Stack Systems
115213	Projection Screens
115313	Laboratory Fume Hoods
116143	Stage Curtains
116623	Gymnasium Equipment
116643	Interior Scoreboards
118226	Waste Compactors and Destructors
119200	Art Room Equipment - Kilns
9112	<u>Furnishings</u>
122113	Horizontal Louver Blinds
122413	Roller Window Shades
123550	Educational Casework
123553	Laboratory Casework
124813	Entrance Floor Mats and Frames
124816	Entrance Floor Grilles
126600	Telescoping Stands
129100	Site Furnishings
9113	<u>Special Construction</u>
134814	Sound Barriers
9114	<u>Conveying Equipment</u>
142100	Electric Traction Elevators
142400	Hydraulic Elevators
9121	<u>Fire Suppression</u>
211000	Water-Based Fire-Suppression Systems

## TABLE OF CONTENTS (cont.)

9122	<u>Plumbing</u>
220519	Meters and Gages for Plumbing Piping
220533	Electric Self-Regulating Hot Water Temperature Maintenance Cable
<b>221116</b>	<b>Domestic Water Piping System</b>
221119	Plumbing Piping Specialties
221123	Plumbing Pumps and Accessories
221316	Sanitary Piping System
221323	Grease/Oil/Acid Interceptors
221413	Storm Piping System
221500	Compressed Air System
223100	Domestic Water Softener Equipment
223200	Domestic Water Filtration Equipment
223400	Fuel-Fired Domestic Water Heaters
224000	Plumbing Fixtures
226313	Gas Piping Systems
9123	<u>Heating, Ventilating, and Air Conditioning</u>
230501	Common Work Results for HVAC
<b>230507</b>	<b>HVAC Piping</b>
230514	Variable Frequency Drives
230519	Meters and Gages for HVAC Piping
230523	General Duty Valves for HVAC Piping
230525	Roof Curbs
230529	Hangers and Supports for HVAC
230548	Vibration and Seismic Control for HVAC
230553	Identification for HVAC
230593	Testing, Adjusting, and Balancing for HVAC
<b>230719</b>	<b>HVAC Insulation</b>
230923	HVAC Direct Digital Controls
230993	Sequence of Operation for HVAC
231101	Liquid Petroleum Gas Piping
232113	HVAC Piping Specialties
232117	Glycol Heat Transfer Fluid
232119	HVAC Flow Control
232123	HVAC Hydronic Pumps
232300	Refrigerant Piping
<b>232500</b>	<b>HVAC Water Treatment</b>
<b>233113</b>	<b>Low-Pressure Ductwork</b>
233115	Medium-Pressure Ductwork
233117	Flexible Ductwork
233300	Ductwork Accessories
233313	Exterior Wall Louvers
233400	HVAC Fans
233423	Rooftop Intake, Exhaust, & Relief Ventilators
233513	Dust Collection System
233515	Welding Exhaust System
233600	Variable Air Volume Terminals
233713	Air Outlets and Inlets
233716	Fabric Air Distribution Devices
233718	Underfloor Air Distribution System
233800	Kitchen Hood Ventilation System
234323	Air Cleaning System
235100	Breeching, Chimneys, and Stacks
235213	Electric Boilers
235216	Flue Gas Condensing Boilers

## TABLE OF CONTENTS (cont.)

235223	Cast Iron Boilers
235225	Steel Firebox Boilers
235233	Flexible Water Tube Boilers
235239	Packaged Firetube Boilers
235700	Heat Exchangers
236213	Refrigerant Condensing Units
236215	Multiple-Compressor Refrigerant Condensing Units
236416	Packaged, Centrifugal Water Chiller
236423	Packaged, Scroll Water Chiller
236426	Packaged, Rotary Screw Water Chiller
236440	Refrigerant Monitoring Systems
236500	Packaged Cooling Towers
236533	Closed Circuit Fluid Coolers
237119	Ice Storage System
237200	Air to Air Energy Recovery Equipment
237313	Modular Indoor Air Handling Units
237323	Custom Indoor Air Handling Units
238113	Unitary Air Conditioning Equipment
238123	Computer Room Air Conditioners
238146	Water Source Heat Pumps
238156	Ground Source Heat Pumps (Geothermal)
238219	Fan Coil Units – Four Pipe
238223	Unit Ventilators – Four Pipe
238233	Convectors
238239	Cabinet Unit Heaters
238240	Propeller Unit Heaters
238316	Radiant Heating Hydronic System
9126	<u>Electrical</u>
260513	Medium Voltage Cables 2001 to 35,000 v
260519	Low Voltage Electrical Power Conductors and Cables
260526	Grounding and Bonding of Electrical Systems
260529	Hangers and Supporting Devices
260533	Raceway and Boxes for Electrical Systems
260536	Cable Tray for Electrical Systems
260543	Underground Ducts and Raceways for Electric Systems
260923	Lighting Control Devices
261200	Medium Voltage Transformers
261300	Medium Voltage Switchgear
262200	Low Voltage Transformers
<b>262413</b>	<b>Switchboards</b>
262416	Panelboards
262419	Motor Control Centers
262726	Wiring Devices
262813	Fuses and Fuse Holders
262816	Enclosed Switches and Circuit Breakers
262913	Enclosed Controllers
263213	Package Engine Generators
263600	Transfer Switches
264313	Transient Voltage Suppression for Low-Voltage Electrical Power Circuits
<b>265100</b>	<b>Interior Lighting</b>
265561	Theatrical Dimming System
<b>265600</b>	<b>Exterior Lighting</b>

## TABLE OF CONTENTS (cont.)

9127	<u>Communications</u> 270526 Grounding and Bonding for Communications Systems 271100 Communications Equipment Room Fittings 271313 Communications Copper Backbone Cabling <b>271323 <i>Communications Optical Fiber Backbone Cabling</i></b> 271333 Communications Coaxial Backbone Cabling 271513 Communications Copper Horizontal Cabling 271533 Coaxial Communications Horizontal Cabling 271543 Audio-Video Communications Horizontal Cabling <b>272100 <i>Data Communications Network Equipment</i></b> <b>272133 <i>Data Communications Wireless Access Points</i></b> 273113 IP-Enabled PABX System 273123 IP Only PABX System 274117 Broadband Video RF Distribution System <b>274119 <i>Video Display Equipment</i></b> <b>274120 <i>Interactive Audio-Video Equipment</i></b> 274125 Digital On-Demand Instruction Delivery System <b>275121 <i>Student Dining / Auditoria Sound Reinforcement System – High School</i></b> <b>275122 <i>Student Dining / Cafeteria Sound Reinforcement System</i></b> 275123 Central Sound and Paging System <b>275124 <i>Gymnasium Sound Reinforcement System</i></b> 275125 Music Room Audio Program Playback System - Middle School <b>275126 <i>Music Room Audio Recording/Playback System - High School</i></b> <b>275127 <i>Classroom Sound Reinforcement System</i></b> 275313 Clock Systems
9128	<u>Electronic Safety and Security</u> <b>281300 <i>Access Control System</i></b> 281600 Intrusion Detection System 282300 Video Surveillance System 282600 Area of Refuge Intercommunication System 283111 Digital, Addressable Fire-Alarm System
9131	<u>Earthwork</u> 311000 Site Clearing 312000 Earth Moving
9132	<u>Exterior Improvements</u> 321216 Asphalt Paving 321313 Concrete Paving <b>321314 <i>Pervious Concrete Pavement</i></b> 321443 Porous Unit Paving 321816 Playground Surfacing 323113 Fences and Gates 329200 Turf and Grasses
9133	<u>Utilities</u> 330513 Manholes and Structures 331000 Water Utilities 333000 Sanitary Sewerage Utilities 334000 Storm Drainage Utilities 334600 Subdrainage

## TABLE OF CONTENTS (cont.)

### Chapter 9: Specifications (Career-Technical)

9200	Introduction
9203	<u>Concrete</u> 033516 Concrete Floor Hardener/Sealer
9206	<u>Wood, Plastics, and Composites</u> 060565 Slatwall Paneling 068200 Glass Fiber-Reinforced Plastic
9208	<u>Openings</u> 083416 Bottom Roll Slide Hanger Doors 083436 Revolving Darkroom Doors
9209	<u>Finishes</u> 096000 Wood Dance Floor 099600 High Performance Coatings
9211	<u>Equipment</u> 112713 Dark Room Equipment 113100 Residential Appliances 116135 Pipe Grid 116615 Ballet Bars 116800 Play Field Equipment and Structures
9213	<u>Special Construction</u> 131900 Kennels and Animal Shelter Equipment 133413 Glazed Structures (Greenhouses) 133419 Metal Building Systems
0923	<u>Heating, Ventilating, and Air Conditioning</u> 233500 Vehicle Fume Exhaust Equipment
0941	<u>Material Processing and Handling Equipment</u> 412223 Hoists and Cranes

### Chapter 10: Miscellaneous

10010	Color Materials
10020	Loose Furnishings
<b>10030</b>	<b>Food Service Equipment</b>

### Chapter 10: Miscellaneous (Career-Technical)

10100	Loose Furnishings
-------	-------------------

© Ohio School Facilities Commission 1997

(Revised 7/1/99, 7/1/00, 7/1/01, 4/1/02, 4/1/03, 4/1/04, 4/1/05, 2006, 2007, 2008, 2009, and **2010**)



**A. COLOR IN SCHOOLS**

1. Although color can be one of the most influential elements in the design of an educational facility, it is often not given appropriate attention in the design process, but rather develops as a result of product availability, color trends, ease of maintenance, or personal subjective preference of those involved in selecting colors instead of more scientific principles. The appropriate use of color is important in protecting eyesight and eyestrain, thereby creating surroundings that provide a balance of stimulation and a sense of security.
2. While developing standard palettes of colors for all schools would not be practical or beneficial, there are guidelines that can be used for the use of color and light in K-12 environments.
3. The reaction to, and influence of, color differs with variance in age groups. Children will, to some extent, view color differently than adults. Their eye and brain development is at a different stage than adults and at younger ages, they have not been as influenced by marketing trends. Different age groups in K-12 schools will vary in response to color as well.

**B. RECOMMENDATIONS FOR COLOR APPROACH FOR ELEMENTARY SCHOOLS**

1. Environments of a color palette made completely of neutral colors (achromatic hues) such as blacks, whites, greys, even dark browns, and off whites should be avoided. Lack of light wavelengths (colors of a variety of hues) have been shown to increase nervousness, anxiety, and insecurity in Dr. Harry Wohlfarth's, "*Effects of Color and Light on the Development of Elementary School Pupils*," twelve month study from 1982-1983. These colors have been shown to be rejected or disliked by children ages 5-12 by Heinrich Friely's, Institute of Color Psychology, "*Study of Children's Color Preferences all Over the World*."
2. Warm base, background colors such as light salmon, beiges, soft yellows, or peaches on the walls have a tendency to complement the extroverted nature of younger children thus reducing tension, nervousness, and anxiety. Accent colors of more saturated hues of all colors will provide a moderate amount of stimulation as well as providing eye muscle relief to the warm lighter walls according to Frank A. Mahnke, Founder and Director of the American Information Center for Color and Environment.

**B. RECOMMENDATIONS FOR COLOR APPROACH FOR ELEMENTARY SCHOOLS (cont.)**

3. Avoid overuse of deeply saturated bright hues on all architectural elements (walls, floors, ceilings, and bulkheads) as this will create too much stimulation and children will have a hard time focusing.
4. Humans, especially children, can relate to the visual stimulus of color as an indication of location or special relationship. Color, therefore, provides an excellent element for way finding in a building. Areas of the building can be identified by use of colors on certain interior elements. Different corridors, classroom pods, clusters, or wings of a building could be color-coded to help children develop a sense of location in a large school. Note that the entire space in an area should not become one color (walls, lockers, flooring, casework) but rather, use one or two elements such as tack boards, signage, an occasional floor tile as a color accent that is consistent in each area of the building. When asked their preference, children ages 5-12 preferred and related to primary and secondary colors such as yellow, red, blue, violet, orange, and green (Heinrich Friely, Institute of Color Psychology, "*Study of 10,000 Children's Color Preferences all Over the World*").
5. As age increases, preferences are developed for more tertiary colors, in shades and tones of the primary and secondary color group.
6. As adults create environments for children, we should not allow our preferences to avoid the use of these preferred colors as accents and focal points throughout schools for an elementary school.

**C. RECOMMENDATIONS FOR COLOR APPROACH FOR  
UPPER GRADES AND SECONDARY SCHOOLS**

1. Many of the recommendations suggested for elementary grades are applicable.
2. Avoid a palette of achromatic hues.
3. Warm base colors (beige, light yellows, taupes, and peaches) on the walls will make one feel warmer than the actual temperature. This may be very beneficial in those schools in northern Ohio. Lighter shades of blue and green have been shown to elicit a sense of calmness, thus providing an environment conducive to concentration. These colors could probably be more applicable in classrooms and in the media center.
4. "Softer surroundings created by subtle and/or cooler hues have centripetal action which enhances the ability to concentrate. Beige, pale or light green, and blue-green are appropriate and they permit better concentration by providing a passive effect," according to Frank H. Mahuke's, *"Color, Environment and Human Response."*
5. If a wall in a space is indicated as the primary teaching wall or focus of presentation, a darker hue of a color on the wall will pull one's attention toward that wall.
6. School colors should be considered and discussed as to how and whether they should be incorporated into the overall color scheme. School colors are usually used in the athletic areas. Locker specifications should include the school color for the finish.

**COLOR MATERIALS****CHAPTER 10: MISCELLANEOUS****D. GENERAL RECOMMENDATIONS**

1. Carpet
  - a. A multicolor, dark carpet will hide staining and soiling.
  - b. The value of a carpet should be at least as dark as value #6 on a grey scale.
2. Grout color for floor tile should always be a tinted shade (never white, light grey, or cream) to avoid staining and discoloration. Dark colors value #6 and above a grey scale work best.
3. Performance Stages
  - a. Back walls and side walls of a stage are usually painted black or dark grey unless the space is multiuse.
  - b. Stage floors are usually a dull, dark stain, or black to avoid the reflection of stage lighting.
4. Visual Display Boards
  - a. The contrast of the background of a wall writing surface and the color of the written message should be as great as possible.
  - b. A black or dark grey board provides the best contrast for white chalk on a chalkboard.
  - c. Markers will be viewed best on a white marker board.
  - d. All visual display boards should be glare-resistant.
5. Computer Area recommendations from the American Optometric Society for rooms with computers
  - a. Wall color light reflectance: 50% - 60%
  - b. Floors: 20% - 30%
  - c. Furniture: 30% - 50%

The goal is to have a 3:1 ratio between contrasts of surfaces in this type of space.

**D. GENERAL RECOMMENDATIONS (cont.)**

6. Work Surfaces
  - a. The color and value of a work surface should contrast slightly to a piece of paper or a book, but should not be too dark to create an extreme contrast which would pull the attention away from the book or paper.
7. Plastic laminate on counter tops and work surfaces should have a pattern to them to avoid constant fingerprint marks.
8. Photometrics, to determine light levels, should be completed after a general color palette, hues, and color values of materials have been established for the building. Different colors and values of color will have different light reflectance and will affect the light footcandles required for each space.
9. The use of repeated colors and materials such as a common wall paint and flooring material will help give the building some unity and a sense of consistency, as well as giving each area a feeling of extended space.

**E. EXTERIOR**

1. The exterior palette is usually developed as a reflection of the surrounding environment relating to neighborhood buildings and landscape.

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.

**A. LOOSE FURNISHINGS/EQUIPMENT**

1. Loose furnishings and equipment in the project are those items that are not attached to the building such as furniture, special subject equipment, appliances, trash receptacles, cleaning equipment, etc. The type of loose furnishings and equipment for a school should be selected to support the educational curriculum and the function of the spaces, but also provide flexibility for change and development in the future. The exact items and styles may vary from school to school.
2. The recommended furniture and equipment is identified on each space plate in chapters 4, 5 and 6. Following are guidelines for a level of quality, durability, and function for various types of furniture that may be used in a school as well as features for consideration and review with school district representatives.
3. Provide pencil sharpeners for all areas where "pencil sharpener support" is noted in the space plates.
4. Maintenance items such as sweepers, lawn care machines, mops, brooms, buffers, scissors hoist, etc., are funded by the school district.

**B. QUALITY GUIDELINES AND FURNITURE SELECTION CONSIDERATIONS**

1. Student Tables
  - a. Tops
    - .1 1 inch to 1 1/4 inch plywood with patterned horizontal grade plastic laminate on top and exposed, sanded, sealed, and lacquered plywood edge. Include steel stretcher support bar on tables over 60 inches in length.
  - b. Legs or T Bases
    - .1 19-gauge steel tubing with self-adjusting, rubber-cushioned, swivel type, nonremovable glides. Nickel plated chrome or electrostatically applied epoxy powder coat finish. Adjustable legs for flexibility for elementary schools and middle schools are beneficial to accommodate a wide range of student sizes at a given grade level. Tables 29 inches high are a standard height for adults and meet the Americans with Disabilities Act guidelines.

**B. QUALITY GUIDELINES AND FURNITURE SELECTION CONSIDERATIONS (cont.)**

2. Student Desks
  - a. Styles and sizes vary. Both present and future activities and goals should be considered when selecting the type of desk. If combination and attaching chair units are purchased, some free stand desks without chairs meeting the Americans with Disabilities guidelines should also be purchased.
  - b. Tops
    - .1 For ease of maintenance and durability, it is recommended that tops be 5/8 inches to 3/4 inches solid molded, thermosetting plastic with rounded edges.
  - c. Frames
    - .1 Nickel chrome plated or electrostatically applied epoxy powder coat finish shall be used. Construction will vary with style of desk. A minimum of 18-gauge should be used for legs and a minimum of 16-gauge steel tubing used for horizontal support and bracing. All welds should be continuous.
  - d. Glides
    - .1 Super-silent, rubber-cushioned, swivel-type, nickel plated steel should be externally applied and crimped onto legs. Glides should be nonremovable.
3. Student Chairs
  - a. Two different types of student chairs are typically used in schools. One is a soft plastic, molded steel chair, and the other type is a hard solid, molded thermosetting, plastic independent seat and back support. Both are valid options for classroom seating. The soft plastic chairs are usually available in either a four leg with glide or a sled base style. The hard plastic chairs are usually available only in a four leg with glide option.

**B. QUALITY GUIDELINES AND FURNITURE SELECTION CONSIDERATIONS (cont.)**

- b. Sled base style chairs are generally used in carpeted areas, but, if a glide is placed on the bottom of the sled base, it can also be used on a resilient floor. The four leg chair option is generally used for resilient floors, but can also be used in carpeted spaces. The concern with a four leg chair is that the glides do sometimes come off the legs, even when crimped on in a permanent mounting. The exposed leg of the chair can then cause damage to both a carpeted or resilient floor.
- c. Soft plastic chairs provide a softer and more comfortable seat. They, generally, are less expensive.
- d. The hard plastic chairs are much heavier, are easier to keep clean, and are more durable with a longer use life than soft plastic. Both styles of chairs only stack about 5 to 7 chairs high.
- e. Frames
  - .1 Nickel chrome plated or electrostatically applied epoxy powder coat finish shall be used. Nickel/chrome finish must meet all requirements for nonpeeling and abrasion-resistant finish. A minimum of 18-gauge steel tubing for legs and 16-gauge 1 1/8 inch steel tubing for backs should be used to construct the frame.
  - .2 Solid plastic chairs should have an "H" style frame for the legs. Avoid using an "A" style leg base. Cross-bracing of the legs about 9 inches to 12 inches below the seat is recommended for support. All welds should be continuous.
- f. Solid Plastic Seat and Back
  - .1 Seat back should be a minimum of 5/8 inch solid, molded thermosetting plastic with contoured edges. Seat and back should be attached with metal to plastic fasteners from the frame or with exposed rivets so the exposed seating surfaces of plastic units are left unbroken.

**LOOSE FURNISHINGS**

## CHAPTER 10: MISCELLANEOUS

**B. QUALITY GUIDELINES AND FURNITURE SELECTION CONSIDERATIONS (cont.)**

- g. Soft Plastic Shell Seat
- .1 Shell shall be one piece, flexible injection, molded shell with support ribbing. Shell should be attached with metal to plastic fasteners from the frame in such a way that the exposed seating surface is left unbroken and fasteners should not penetrate front of shell.
  - .2 ***Seat shall be braced in such a way that visible "stress" marks do not occur.***
- h. Glides
- .1 ***Swivel-type, nickel-plated, steel glides*** should be externally applied and crimped onto legs. Glides should be nonremovable.
- i. Sizes
- .1 Exact sizes vary from manufacturer to manufacturer ranging from 12 inches to 18 inches in seat height. The following are some general guidelines for grade levels; however, Owner representatives should verify exact sizes and ratio depending on their own school requirements and need for flexibility.

Kindergarten and Prekindergarten 12 inches to 13 1/2 inches:

Grade 1	12"	to	14"
Grade 2	13 1/2"	to	15"
Grade 3	14"	to	15"
Grade 4	15"	to	16"
Grade 5	15"	to	16"
Grade 6	16"	to	18"
Grades 7 to 12	17 1/2"	to	18"

4. Teacher Desk
- a. Teacher/staff desks may vary in size and style. Depending on teaching styles and methods of different school districts, the option to use something more mobile and flexible, such as a teacher support cart with writing area or a work surface on casters with hanging storage drawers versus an actual desk, may be considered.
    - .1 Regardless of the actual style of this desk/work surface or cart, the unit should have the capacity to hold supplies and a computer. Lockable drawers or storage is beneficial.

**B. QUALITY GUIDELINES AND FURNITURE SELECTION CONSIDERATIONS (cont.)**

- b. Desk Construction
  - .1 22-gauge steel, reinforced, double wall, end panel or 20-gauge steel modesty panel or steel pedestal supported desks with steel or 1 inch horizontal grade plastic laminated 4 1/2 pound per linear inch honeycomb core. Front and back edges of top are to have post formed curved contour.
- c. Work Surface Construction
  - .1 The frame is to be seam welded 16-gauge steel outer leg with 14-gauge steel tubing inner leg/support. Formed steel (11-gauge) cross support channel 1/4 inch thick steel work surface mounting plates or support arms or 14-gauge steel tubing support arms. All welds are to be continuous. Cable and cord raceway integral with frame construction. Top surface is to be horizontal grade plastic laminated 1 inch to 1 1/4 inch thick high density particle board with melamine/phenolic backing sheet. Front and back edges are to be post curved contour.
- d. Glides
  - .1 Nickel/chrome plated steel self-leveling units.
- e. Drawer Construction
  - .1 22-gauge steel durable wall box construction with 18-gauge steel ball bearing full extension glides or nylon roller suspension. Integral shaped pull in steel front. File drawers are to include integral hanging file lip on side of drawer and spring loaded follower.
- f. Finish
  - .1 Nonchipping enamel or epoxy powder coat, electrostatically applied and then baked on over a rustproofing primer.
- g. Details
  - .1 Plastic grommets with snap fit covers in top, wire management under unit, locks on drawers, end panel cable pass through is advantageous.

**B. QUALITY GUIDELINES AND FURNITURE SELECTION CONSIDERATIONS (cont.)**

5. Vertical Files
  - a. Space considerations, location, layout, and type of filing should be reviewed before determining type of file and drawer capacity required. Vertical files are available in both letter and legal size.
  - b. Shell Construction
    - .1 22-gauge cold rolled, steel for all vertical surfaces and 20-gauge steel for top and bottom.
  - c. Drawer Construction
    - .1 22-gauge, cold rolled, steel with high drawer sides to form integral lip for hanging files. Drawer should include spring-loaded 22-gauge steel follower back with positive locking action.
  - d. Drawer Suspension
    - .1 Full extension of triple tier assembly with a minimum of 116 steel ball bearings.
  - e. Details
    - .1 Interchangeable core, removable locks, counterweight to inhibit tipping. Mechanical interlock preventing extension of more than one drawer at a time.
  - f. Warranty
    - .1 15 years
6. Lateral File
  - a. Space considerations, location, layout, and type of filing should be reviewed before determining the type of file and drawer quantity required. Lateral files can be used to file paper both from front to back and side to side. Most lateral files are sized to fit both letter and legal paper but others are sized only for letter filing side to side.
  - b. Shell construction
    - .1 A minimum of 20-gauge steel sides and double wall base and back and 18-gauge steel top and bottom with double wall base.

**B. QUALITY GUIDELINES AND FURNITURE SELECTION CONSIDERATIONS (cont.)**

- c. Drawer construction
    - .1 A minimum of 20-gauge cold rolled steel front with high sides. Removable front to back filing handrail bars to permit side to side filing.
  - d. Finish
    - .1 Chip resistant enamel electrostatically applied and then baked over a rustproofing primer.
  - e. Drawer suspension
    - .1 Full extension of triple tier assembly with a minimum of 40 steel ball bearings.
  - f. Details
    - .1 Locks are to be interchangeable and core removable. Center weight to inhibit tipping. Mechanical interlock preventing extension of more than one drawer at a time.
  - g. Warranty
    - .1 15 years
7. Steel Bookcases
- a. Bookcases range from 2 to 5 shelves and usually 12 inches to 14 inches deep. Units over 36 inches should be placed against wall because they will easily tip over.
  - b. Shell construction
    - .1 20-gauge, cold rolled, steel sides and back with double wall box base. Integral standards to accept shelf supports for adjustment of 1/2 inch increments.
  - c. Shelves
    - .1 18-gauge, cold rolled, steel to accept loads of up to 100 pounds.
  - d. Finish
    - .1 Chip-resistant enamel electrostatically applied and baked over a rustproofing primer.

**LOOSE FURNISHINGS****B. QUALITY GUIDELINES AND FURNITURE SELECTION CONSIDERATIONS (cont.)**

8. High Density Stack Chair
  - a. High-density stack chairs provide flexibility in many spaces. Chairs should be comfortable with seat and back contours to give user back support. Chairs vary with stacking ability depending on design. ***Chairs should stack no higher than 60" above the floor.***
  - b. Frame
    - .1 7/16 inch diameter, solid coil, wire bent, sled base frame with maximum of 8 welded points on frame. Avoid cold welds.
    - .2 Frame to include 7/16 inch solid wire seat brace. Frame finish to be either nickel chrome plate or electrostatically applied epoxy powder coat.
  - c. Seat and Back
    - .1 Two-piece, independently molded seat and back. Seat and back construction should be in-through color injection, molded thermoset plastic. Attach to frame with plastic to metal fasteners. Seat and back should be replaceable.
9. General
  - a. Manufacturers shall provide the standard product warranty, unless otherwise noted by the Design Professional.
  - b. Adjustable, pneumatic chairs should have a minimum replacement warranty of 5 years for the hydraulic lift mechanism.
  - c. Fabrics on seating being used by students should have a durability exceeding 50,000 double rubs and meet state and local fire codes. Fabric is to pass ASTM-E84 and NFPA-255 codes. Color fastness is to meet 40-hour NAFM requirements.
  - d. Fabrics on seating being used in the administrative, guidance, or other private staff areas should have a durability of exceeding 30,000 double rubs and meet state and local fire codes. Fabric is to pass ASTM-E84, and NFPA-255 codes. Color fastness is to meet 40-hour NAFM requirements.

**B. QUALITY GUIDELINES AND FURNITURE SELECTION CONSIDERATIONS (cont.)**

- e. Folding cafeteria tables on wheels should have pneumatic cylinders lift assist mechanism and an automatic lock with 2 manual releases in the folded and unfolded position.
- f. All furniture is to meet the Americans with Disabilities Act guidelines.
- g. Horizontal grade, plastic laminate tops on table, desk, work surface, and file tops is recommended for cleaning and durability.

**LESSONS LEARNED**

1. ***Many sled-based student chairs are now available with non-skid glides appropriate for hard-surface floors. Sled-based cantilever chairs are more ergonomic, but it is important to evaluate the glide as some can damage the floor.***
2. ***Steel glides are generally considered preferable over nylon glides on hard surfaces because although they do cause black marks on the floor, they are less likely than plastic to scratch the floors over time. Steel guides must be specified, if desired, since most manufacturers have nylon as a standard.***
3. ***Some manufacturers offer a non-skid, highly durable, plastic glide that will not mar or damage floors. However, it is typically more expensive and it is important that the Owner understands that the chair will not slide on the floor.***
4. ***There are also various felt-type glides that can be field installed. These are a good solution to preventing scratches on the floor as long as the Owner understands that they will wear down and need replaced periodically.***

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.

**A. FOOD SERVICE EQUIPMENT**

The food service area displayed on the space plates shows relationships and sizes of various areas. Each school district prepares the food to be served differently, primarily because of the way food goods are purchased. The following is a list of the different types of equipment found in food service areas:

1. E-FS-1a Preparation Area
  - a. Food Preparation
    - .1 Vegetable preparation sink
    - .2 Disposer with pre-rinse
    - .3 Food processor
    - .4 Mixer
    - .5 Drain trough
    - .6 Water station
    - .7 Can opener
    - .8 Scales
    - .9 Utility cart
    - .10 Mobile utility bins
    - .11 Mobile salad/dessert rack
    - .12 Refrigerator
    - .13 Freezer
    - .14 Soap dispenser
    - .15 Paper towel dispenser
    - .16 Mobile shelf truck
    - .17 Knife rack
    - .18 Mobile trash container
    - .19 Mobile and fixed work table
    - .20 Food slicer
    - .21 Ice maker

**FOOD SERVICE EQUIPMENT****A. FOOD SERVICE EQUIPMENT (cont.)**

- b. Hot Food Production
  - .1 Cooks table with sink
  - .2 Pan storage unit
  - .3 Utensil rack
  - .4 Scales
  - .5 Can opener
  - .6 Mixer
  - .7 Fire suppression system
  - .8 Range
  - .9 Grill
  - .10** Oil filter/pump
  - .11** Hotplate
  - .12** Steam cooker
  - .13** Oven
  - .14** Kettle
  - .15** Tilt skillet
  - .16** Drain trough
  - .17** Water station
  - .18** Utility raceway
  - .19** Utility cart
  - .20** Mobile pan/cooling rack
  - .21** Mobile ingredient bin
  - .22** Refrigerator
  - .23** Freezer

**A. FOOD SERVICE EQUIPMENT (cont.)**

- c. Baking
  - .1 Refrigerator
  - .2 Freezer
  - .3 Oven
  - .4 Proofing cabinet
  - .5 Range
  - .6 Trunnion kettle and stand
  - .7 Fire suppression system
  - .8 Sheerer
  - .9 Water station
  - .10 Mixer
  - .11 Bakers table
  - .12 Dessert table
  - .13 Bakers sink
  - .14 Mobile bakers rack
  - .15 Pan storage unit
  - .16 Pan dolly
  - .17 Scales
  - .18 Utility cart
  - .19 Soap dispenser
  - .20 Paper towel dispenser
  
- d. Pot and Pan Washing
  - .1 Three compartment sink
  - .2 Disposer
  - .3 Pre-rinse assembly
  - .4 Water agitator
  - .5 In-sink heater
  - .6 Mechanical pot brush
  - .7 Booster heater
  - .8 Ventilation system - hood
  - .9 Shelf truck
  - .10 Utility cart
  - .11 Soap dispenser
  - .12 Paper towel dispenser

**FOOD SERVICE EQUIPMENT**

## CHAPTER 10: MISCELLANEOUS

**A. FOOD SERVICE EQUIPMENT (cont.)**

2. H-FS-1b Serving Area
  - a. Tray cart
  - b. Flatware dispenser
  - c. Napkin dispenser
  - d. Straw dispenser
  - e. Milk cooler
  - f. Hot food station
  - g. Display warmers
  - h. Display refrigerators
  - i. Sandwich/fry slide
  - j. Serving counter
  - k. Cold food station
  - l. Dessert/snack station
  - m. Tray pick up station
  - n. Checker/cashier station
  - o. Ice cream cabinet
  - p. Specialty bar station
  - q. Hot food holding cabinet
  - r. Cold food holding cabinet
  - s. Mobile utility cabinet
  - t. Back counter with sink
  - u. Tray slide
  
3. H-FS-1c Dry Food Storage
  - a. Shelf unit
  - b. Dunnage platform
  - c. Dolly
  - d. Mobile ingredient bin
  - e. Can dispensing rack
  - f. Utility cart
  
4. H-FS-1d Cooler/Freezer
  - a. Mobile shelf unit
  - b. Mobile dunnage platform
  - c. Dolly
  - d. Mobile cooling rack
  - e. Strip curtain

**A. FOOD SERVICE EQUIPMENT (cont.)**

5. H-FS-1e Ware Washing
  - a. Soiled dish table
  - b. Clean dish table
  - c. Dishwasher
  - d. Disposer
  - e. Detergent-rinse injector
  - f. Wall shelf
  - g. Wall cabinet
  - h. Pre-rinse assembly
  - i. Rack dolly
  - j. Mobile trash container
  - k. Hose station
  - l. Tray return conveyor
  - m. Mobile bussing rack
  - n. Pass through window
  - o. Tray washing racks
  - p. Flatware washing racks

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.

**LOOSE FURNISHINGS/EQUIPMENT**

1. Loose furnishings and equipment in the project are those items that are not attached to the building such as furniture, special subject equipment, appliances, trash receptacles, cleaning equipment, etc. The type of loose furnishings and equipment for a school should be selected to support the educational curriculum and the function of the spaces, but also provide flexibility for change and development in the future. The exact items and styles may vary from school to school.
2. The list of furniture and equipment typically required and funded by the Ohio School Facilities Commission is included in the Program Type sections in Chapter 6.

THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK.